



Bombardier Recreational Products Inc.
10101 Science Drive
Sturtevant, WI 52177
www.evinrude.com



Godfrey Marine
4500 Middlebury St.
Elkhart, IN 46516
574-522-8381

www.hurricaneboats.com

2009 Hurricane Fundeck 226RE3



BOAT	
2009 Hurricane Fundeck 226RE3	
Material:	Fiberglass
Length:	22' 2"
Beam:	90.5"
Weight w/o Engine:	2300 LBS Dry
Maximum HP:	200 HP
Fuel Capacity:	29 Gallons
Transom Height:	21" Shaft
Steering:	Hydraulic

ENGINE	
2009 Evinrude® 150 HP ETEC®	
Engine Type:	60° V6
Horsepower:	150 @ 5350 RPM
Displacement:	2.6 Litre
Induction:	ETEC DFI
Operating Range:	4850-5850 RPM
Weight:	419 LBS Dry Weight
Gear Ratio:	1.86:1

PROPELLER	
BRP Viper™	
Material:	Stainless Steel
Diameter/Pitch:	14.5" x 16"
No. of Blades:	3
Part Number:	763912
MOUNTING HEIGHT	
Hole Position:	#2
Jack Plate:	No
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
500	2.1	0.18	11.5	300
1000	4.5	0.55	8.3	215
1500	6.4	1.09	5.9	154
2000	8.0	2.01	4.0	104
2500	12.9	3.11	4.2	109
3000	19.5	4.42	4.4	115
3500	25.5	5.64	4.5	118
4000	30.0	7.09	4.2	111
4500	33.9	8.89	3.8	100
5000	38.4	12.52	3.1	80
5500	42.3	14.37	2.9	77
5750	44.1	14.69	3.0	78

Range (Miles) Based On 90% Fuel Capacity

TEST CONDITIONS	
Water Conditions:	Medium Chop
Wind Velocity:	5-10 MPH
Air Temperature:	82° F
Fuel Load:	3/4 full
Weight:	1 Man, Fuel, Test Gear

PERFORMANCE SUMMARY
Top Speed: 44.1 MPH
Best Fuel Efficiency: 4.5 MPG with a range of 118 Miles @ 25.5 MPH
Acceleration: 3.99 seconds to plane

NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2008 BRP US Inc. All rights reserved.

™ and the BRP logo are Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

